



Cogan Pedestrian Barriers

Keep your employees out of harm's way with Cogan pedestrian barriers. With their dipped galvanized fittings and powder-coated, safety-yellow railings, they're perfect for controlling high-traffic areas in your plant or warehouse. All Cogan pedestrian barriers are designed with 2-rail and 3-rail options to meet BOCA and OSHA safety standards. No welding, threading, drilling or bolting required for assembly. Our slip-on pipe connections are quick, strong, and can easily be dismantled and reused for other applications again and again.




Cogan™ FASTER.
LEANER.
BETTER.™

cogan.com

green
Marketing

Cogan Pedestrian Barriers



(A) STANDARD STARTER UNITS (42" High)

Qty	<input type="checkbox"/>	2' Width (OSHA)	Code#	GHSU20
	<input type="checkbox"/>	4' Width (OSHA)		GHSU40
	<input type="checkbox"/>	6' Width (OSHA)		GHSU60
	<input type="checkbox"/>	8' Width (OSHA)		GHSU80
	<input type="checkbox"/>	10' Width (OSHA)		GHSU100
	<input type="checkbox"/>	12' Width (OSHA)		GHSU120
	<input type="checkbox"/>	2' Width (BOCA)		GHSU2B
	<input type="checkbox"/>	4' Width (BOCA)		GHSU4B
	<input type="checkbox"/>	6' Width (BOCA)		GHSU6B
	<input type="checkbox"/>	8' Width (BOCA)		GHSU8B
	<input type="checkbox"/>	10' Width (BOCA)		GHSU10B
	<input type="checkbox"/>	12' Width (BOCA)		GHSU12B
	<input type="checkbox"/>	Custom sizes x		

(Use the grid to draw the barrier layout)

(B) STANDARD ADD-ON UNITS (42" High)

Qty	<input type="checkbox"/>	2' Width (OSHA)	Code#	GHAU20
	<input type="checkbox"/>	4' Width (OSHA)		GHAU40
	<input type="checkbox"/>	6' Width (OSHA)		GHAU60
	<input type="checkbox"/>	8' Width (OSHA)		GHAU80
	<input type="checkbox"/>	10' Width (OSHA)		GHAU100
	<input type="checkbox"/>	12' Width (OSHA)		GHAU120
	<input type="checkbox"/>	2' Width (BOCA)		GHAU2B
	<input type="checkbox"/>	4' Width (BOCA)		GHAU4B
	<input type="checkbox"/>	6' Width (BOCA)		GHAU6B
	<input type="checkbox"/>	8' Width (BOCA)		GHAU8B
	<input type="checkbox"/>	10' Width (BOCA)		GHAU10B
	<input type="checkbox"/>	12' Width (BOCA)		GHAU12B
	<input type="checkbox"/>	Custom sizes x		

(Use the grid to draw the barrier layout)

(C) ACCESSORIES

Qty	<input type="checkbox"/>	90° Elbow	Code#	GHH1
	<input type="checkbox"/>	Three Socket Tee		GHH2
	<input type="checkbox"/>	Side Outlet Elbow		GHH3
	<input type="checkbox"/>	Single Socket Tee		GHH4
	<input type="checkbox"/>	Two Socket Cross		GHH5
	<input type="checkbox"/>	90° Side Outlet Tee		GHH6
	<input type="checkbox"/>	Railing Flange		GHH7
	<input type="checkbox"/>	Horizontal Tubing per linear foot		GHT
	<input type="checkbox"/>	42" Vertical post (railing flange not included)		GHVP



90° Elbow



Three Socket Tee



Side Outlet Elbow




Single Socket Tee




Two Socket Cross



90° Side Outlet Tee



Railing Flange



1.9" Tubing

(D) FINISH (POWDER COATED)

Std. galvanized fittings and safety-yellow powder-coated railing



FAX: 1.800.633.3004

cogan.com

